

High density steel for long lasting quality



To keep up with the latest developments, as always, Tecnomed Italia offers a wide range of inserts offering excellent ultrasonic transmission and easy, precise operations in all types of application. The excellent quality of the tips is the result of 20 years of know-how and partnership with a company that works to ISO 9002 and ISO 13485 standards, as certified by the TÜV Rheinland Group. These autoclave compatible inserts are made from top quality materials such as surgical grade stainless steel.


Provided they are correctly used during treatments, these inserts maintain their original shape and resist wear extremely well.

Tips wear down only very slowly as a result of the abrasion inevitably involved in the scaling process. These inserts are compatible with all leading brands of scaler on the market, and are certified to CE 0197 standard.

Scaling inserts


Detartrasis, or the removal of tartar deposits and supragingival, subgingival and interdental stains, is one of the most common operations performed by all dentists and dental hygienists. Tecnomed Italia inserts are made from extremely resistant materials and are ideal for use at the high power levels necessary to remove stubborn tartar effectively. Tips designed for subgingival uses are smaller in size and produce smaller oscillations. This facilitates work in anatomically inaccessible areas and helps ensure the patient's comfort. Spray is perfectly tangential to the tip to ensure effective cooling of the operating area.






Scaling tip for removing supragingival tartar in all quadrants.

Product code	Compatibility	Type
PG031	Ems®	A
	Woodpecker®	G4
PG079	Satelec®	1
	DTE®	GD4
	NSK®	G1
PG068M	Mectron®	S1
PG021K	KaVo® PIEZoled®	201




Scaling tip for removing thick and extensive layers of tartar and orthodontic cement residues.

Product code	Compatibility	Type
PG042	Ems®	C
	Woodpecker®	G6
PG089	Satelec®	2
	DTE®	GD6
PG070M	NSK®	G2
	Mectron®	S3




Scaling tip for removing supragingival and subgingival tartar in all quadrants.

Product code	Compatibility	Type
PG063	Ems®	P
	Woodpecker®	G3
PG022K	KaVo® PIEZoled®	202




Scaling tip for use on interproximal surfaces and posterior teeth.

Product code	Compatibility	Type
PG069M	Mectron®	S2




Universal scaling tip for removing large quantities of supragingival tartar in all quadrants.

Product code	Compatibility	Type
PG012K	KaVo® SONICflex® (until model 2003)	5
	NSK®	S1
PG024K	KaVo® SONICflex® (model 2008)	5A




Sickle type scaling tip for removing supragingival tartar in all quadrants.

Product code	Compatibility	Type
PG006K	KaVo® SONICflex® (until model 2003)	6
	NSK®	S2
PG025K	KaVo® SONICflex® (model 2008)	6A




Periodontic type scaling tip for removing supragingival tartar in all quadrants.

Product code	Compatibility	Type
PG007K	KaVo® SONICflex® (until model 2003)	7
	NSK®	S3
PG026K	KaVo® SONICflex® (model 2008)	7A




Scaling tip for removing supragingival and subgingival tartar in all quadrants.

Product code	Compatibility	Type
PG008K	KaVo® SONICflex® (until model 2003)	8




Sickle type scaling tip for removing supragingival tartar in all quadrants.

Product code	Compatibility	Type
PG013K	KaVo® PIEZOlux®	9
	KaVo® SONOsoft®	9




Periodontic type scaling tip for removing supragingival tartar in all quadrants.

Product code	Compatibility	Type
PG011K	KaVo® PIEZOlux®	10
	KaVo® SONOsoft®	10




Universal scaling tip for removing supragingival tartar in all quadrants.

Product code	Compatibility	Type
PG017K	KaVo® PIEZOlux®	11
	KaVo® SONOsoft®	11




Universal scaling tip for removing supragingival tartar from tooth necks and subgingival regions.

Product code	Compatibility	Type
230.01	TKD®	1




Spatula type scaling tip for removing large quantities of tartar in all quadrants.

Product code	Compatibility	Type
230.04	TKD®	4




Scaling tip for removing large quantities of supragingival tartar in all quadrants.

Product code	Compatibility	Type
PH065	Glow® HCP232- HCP232B	PL006A
	Tecnomed Italia HCP233- HCP233B	A



Sickle type scaling tip for removing supragingival tartar in all quadrants.

Product code	Compatibility	Type
PH076	Glow® HCP232- HCP232B	PL006B
	Tecnomed Italia® HCP233- HCP233B	B




Scaling tip for removing supragingival tartar in all quadrants.

Product code	Compatibility	Type
PH087	Glow® HCP232- HCP232B	PL006C
	Tecnomed Italia® HCP233- HCP233B	C

Periodontal inserts


Tecnomed Italia inserts for periodontal treatments are extremely thin and able to enter even deep pockets easily, enabling you to achieve excellent and painless results in radicular debridement. They are also ideal for removing tartar from tight interdental spaces and touching crowns. The reduced oscillations generated by the low power settings needed for these tips makes treatment with them particularly pleasant for the patient. Their subgingival spray system eliminates biofilm fragments more effectively.






Periodontic tip for removing subgingival tartar and tartar from deep periodontal pockets in all quadrants.

Product code	Compatibility	Type
PG062	Ems®	PS
	Woodpecker®	P3
PG099	Satelec®	1S
PG072M	Mectron®	P10
PG023K	KaVo® PIEZOLed®	203




Left scaling tip for removing deep subgingival tartar and tartar from molar furcations.

Product code	Compatibility	Type
PG105	Satelec®	H2L
	DTE®	P2LD
	NSK®	P25L




Right scaling tip for removing deep subgingival tartar and tartar from molar furcations.

Product code	Compatibility	Type
PG106	Satelec®	H2R
	DTE®	P2RD
	NSK®	P25R



Thin scaling tip for removing tartar from shallow pockets (< 2-3 mm).

Product code	Compatibility	Type
PG103	Satelec®	10P
	DTE®	PD4
	NSK®	P20




Extra-fine scaling tip for removing interproximal tartar and tartar from deep periodontal pockets.

Product code	Compatibility	Type
230.02	TKD®	2

Conservative & prosthetic inserts


This range of Tecnomed Italia inserts is ideal for the microinvasive preparation of cavities and for decementation. Our diamond conservative tips let you target lesions with great accuracy without damaging healthy tissue. They are also excellent for removing carious dentine without damaging healthy adjacent teeth. Our inserts for the decementation of implants and bridges are specially designed to help you work more rapidly and effectively.






Prosthetic tip for the alignment and removal of bridges, crowns and posts.

Product code	Compatibility	Type
PG044	Ems®	D
	Woodpecker®	G7
PG090	Satelec®	5AE
	DTE®	GD7
	NSK®	G25




Diamond conservative tip for canal location and coronoradicular preparation.

Product code	Compatibility	Type
PG053	Ems®	RT1
	Woodpecker®	P4D
PG107	Satelec®	PM4
	DTE®	PD4D
	NSK®	




Diamond spherical tip for preparing occlusal surfaces and cervical ridges.

Product code	Compatibility	Type
PG070D	Ems®	SB
	Woodpecker®	SB1
PG110	Satelec®	EX1
	DTE®	SBD1
	NSK®	G62D



Diamond semi-spherical tip for finishing interproximal areas without causing lesions to adjacent teeth.

Product code	Compatibility	Type
PG071A	Ems®	SBM
	Woodpecker®	SB2
PG111	Satelec®	EX2
	DTE®	SBD2
	NSK®	G65D




Diamond semi-spherical tip for finishing interproximal areas without causing lesions to adjacent teeth.

Product code	Compatibility	Type
PG071D	Ems®	SBD
	Woodpecker®	SB3
PG112	Satelec®	EX3
	DTE®	SBD3
	NSK®	G66D

Endodontic inserts


Tecnomed Italia endodontic inserts are the perfect complement for rotary instruments in the preparation of endodontic cavities. Extremely thin in shape, they perfectly respect canal anatomy and provide easy access to pulp chambers. They are also ideal for removing filling residues and preparing and irrigating the canal area. The files are extremely flexible and strong, and adapt to all canal shapes, reducing the risk of damage. This makes them ideal for shaping, cleaning and disinfecting endodontic cavities.






120° endodontic tip for canal cleaning of molars. Accepts all flexible files.

Product code	Compatibility	Type
PG066	Ems®	120
	Woodpecker®	E1
PG115	Satelec®	120
	DTE®	E1D
	NSK®	E11



Endodontic tip for canal cleaning of molars. Accepts all flexible files.

Product code	Compatibility	Type
PG069	Ems®	90
	Woodpecker®	E2
PG116	Satelec®	90
	DTE®	E2D
	NSK®	E12




Tip for the lateral thermal condensation of gutta percha with spray deactivated.

Product code	Compatibility	Type
PG054	Ems®	H
	Woodpecker®	E3
PG108	Satelec®	SO4
	DTE®	ED3
	NSK®	E6
PG071M	Mectron®	D3

Piezosurgery inserts


Tecnomed Italia stainless steel piezosurgery inserts are reinforced with a titanium nitride coating to improve reliability and ensure superior accuracy in operations on bone. Traditional tools like burs and saws can easily provoke permanent damage if they come into contact with nerve fibre. Tecnomed piezosurgery inserts do not cause damage in the event of occasional or accidental contact with nerve fibre, and because bone is not traumatised by cutting, post-operative recovery is faster.






Tip for large section osteotomy as in maxillofacial surgery and block bone grafts.

Product code	Compatibility	Type
PG074M	Mectron®	OT6
	Woodpecker®	US1




Tip for superior and mandibular maxillary osteotomy, crest expansion and block bone grafts.

Product code	Compatibility	Type
PG075M	Mectron®	OT7
	Woodpecker®	US2




Tip for alveolar ridge separation, implant site preparation and crest expansion.

Product code	Compatibility	Type
PG076M	Mectron®	OT2
	Woodpecker®	US3




Tip for periodontal osteotomy, Schneider membrane separation in sinuses and anatomic structure removal.

Product code	Compatibility	Type
PG077M	Mectron®	OP3
	Woodpecker®	US4




Tip for bone remodelling, curettage and bone fragment retrieval.

Product code	Compatibility	Type
PG078M	Mectron®	OP1
	Woodpecker®	US5




Tip for separating Schneider membranes from vestibular bone window ridges.

Product code	Compatibility	Type
PG079M	Mectron®	EL1
	Woodpecker®	UL2




Diamond tip for cutting vestibular osseous flaps and for precision osteoplastic surgery.

Product code	Compatibility	Type
PG080M	Mectron®	OT5
	Woodpecker®	UL3




Diamond tip for osteotomy near nerves and for cutting vestibular osseous flaps.

Product code	Compatibility	Type
PG081M	Mectron®	OT1
	Woodpecker®	UL4




Tip for extracting teeth in osseous inclusions, avulsion and radicular extractions.

Product code	Compatibility	Type
PG082M	Mectron®	EX1
	Woodpecker®	UC1



Left tip for cutting the left monocortical bone and maxillar and mandibular crests.

Product code	Compatibility	Type
PG083M	Mectron®	OT8L
	Woodpecker®	US1L



Right tip for cutting the right monocortical bone and maxillar and mandibular crests.

Product code	Compatibility	Type
PG084M	Mectron®	OT8R
	Woodpecker®	US1R

Quick guide (1/2)

Product code	Ems® type	Woodpecker® type	Satelec® type	DTE® type	NSK® type	Mectron® type	KaVo® type	Glow® type	TKD® type	Page
PG031	A	G4								03
PG079			1	GD4	G1					03
PG068M						S1				03
PG063	P	G3								03
PG069M						S2				03
PG042	C	G6								03
PG089			2	GD6	G2					03
PG070M						S3				03
PG012K					S1		SONICflex® 5			04
PG006K					S2		SONICflex® 6			04
PG007K					S3		SONICflex® 7			04
PG008K							SONICflex® 8			04
PG013K							PIEZOlux® 9 SONOsoft® 9			04
PG011K							PIEZOlux® 10 SONOsoft® 10			05
PG017K							PIEZOlux® 11 SONOsoft® 11			05
PG021K							PIEZOlux® 201			03
PG022K							PIEZOlux® 202			03
PG023K							PIEZOlux® 203			07
PG024K							SONICflex® 5A			04
PG025K							SONICflex® 6A			04
PG026K							SONICflex® 7A			04
PG089									1	05
230.02									2	07
230.04									4	05
PH065								PL006A		05
PH076								PL006B		05
PH087								PL006C		05
PG062	PS	P3								07
PG099			1S							07
PG072M						P10				07
PG105			H2L	P2LD	P25L					07
PG106			H2R	P2RD	P25R					07
PG103			10P	PD4	P20					07
PG044	D	G7								09
PG090			5AE	GD7	G25					09
PG053	RT1	P4D								09
PG107			PM4	PD4D	●					09
PG070D	SB	SB1								09
PG110			EX1	SBD1	G62D					09
PG071A	SBM	SB2								09
PG111			EX2	SBD2	G65D					09
PG071D	SBD	SB3								09
PG112			EX3	SBD3	G66D					09

Quick guide (2/2)

Product code	Ems® type	Woodpecker® type	Satelec® type	DTE® type	NSK® type	Mectron® type	KaVo® type	Glow® type	TKD® type	Page
PG066	120	E1								11
PG115			120	E1D	E11					11
PG069	90	E2								11
PG116			90	E2D	E12					11
PG054	H	E3								11
PG108			S04	ED3	E6					11
PG071M						D3				11
PG074M		US1				OT6				13
PG075M		US2				OT7				13
PG076M		US3				OT2				13
PG077M		US4				OP3				13
PG078M		US5				OP1				13
PG079M		UL2				EL1				13
PG080M		UL3				OT5				14
PG081M		UL4				OT1				14
PG082M		UC1				EX1				14
PG083M		US1L				OT8L				14
PG084M		US1R				OT8R				14